

Relative Yield, Planted Early or Late
(listed in alphabetical order, by maturity group)

Planted Early			Planted Late		
Variety	% +/- MG Avg. *	No. of Sites	Variety	% +/- MG Avg. *	No. of Sites
Maturity Group IV					
37RY47	5.0	17	37RY47	10.0	3
39RY43	1.2	3			
458.RCS	-3.7	4			
4712R2	-30.7	4			
478.RCS	3.4	17	478.RCS	1.2	3
48RD00	-1.5	9	48RD00	6.7	1
4990.RC	-0.1	23	4990.RC	8.5	4
94Y61	0.2	4			
94Y70	4.8	23	94Y70	2.3	4
94Y81	2.0	5	94Y81	-5.3	1
94Y90	4.2	18	94Y90	3.9	2
AB 0077	-1.0	4			
AG4730	2.6	26	AG4730	11.2	4
AG4933	5.1	9	AG4933	5.2	1
Armor 47-R13	17.4	4			
Armor 48-R40	-9.0	4			
Armor 48-R66	-11.2	4			
Armor 49-R56	-7.0	4			
DB4013RR	4.9	4			
DB4512RR	-12.7	9	DB4512RR	-15.4	1
DK 4744	2.0	9	DK 4744	7.7	1
HBK LL4650 #	-16.2	2	HBK LL4650 #	-20.6	1
HBK LL4653 #	-17.0	2	HBK LL4653 #	-42.2	1
HBK LL4850 #	1.7	2	HBK LL4850 #	-32.4	1
HBK LL4950 #	9.8	2	HBK LL4950 #	4.3	1
HBK LL4953 #	19.1	2	HBK LL4953 #	6.8	1
HBK RY4620	-2.3	9	HBK RY4620	7.1	1
HBK RY4721	4.5	9	HBK RY4721	4.7	1
Halo 4:94LL #	4.4	2	Halo 4:94LL #	1.4	1
Halo 4:95LL #	-5.5	2	Halo 4:95LL #	-5.6	1
Halo 4:97LL/STS #	1.8	2	Halo 4:97LL/STS #	-9.3	1
LL 499N #	-11.1	6	LL 499N #	-1.1	1
P 4211 RY	-10.7	9	P 4211 RY	-9.9	1
P 4313 RY	-8.9	4			
P 4510 RY	1.0	18	P 4510 RY	3.6	2
P 4560 LL #	-5.5	2	P 4560 LL #	-9.7	1
P 4613 RY	2.2	4			
P 4710 RY	5.1	12	P 4710 RY	11.7	1
P 4747 RY	-9.3	4			

(continued on next page)

Relative Yield, Planted Early or Late (continued)
(listed in alphabetical order, by maturity group)

Planted Early			Planted Late		
Variety	% +/- MG Avg. *	No. of Sites	Variety	% +/- MG Avg. *	No. of Sites
P 4819 LL #	3.4	4	P 4819 LL #	-1.2	1
P 4850 RY	13.5	9	P 4850 RY	10.7	1
P 4900 RY	3.4	9	P 4900 RY	9.2	1
P 4928 LL #	-6.0	10	P 4928 LL #	12.5	2
P 4930 LL #	17.6	2	P 4930 LL #	33.8	1
P48T53R	4.2	4			
P49T80R	15.7	4			
REV 48R22	3.6	8	REV 48R22	4.5	2
REV 49R11	-6.6	16	REV 49R11	-15.1	4
REV 49R22	-1.1	13	REV 49R22	2.6	3
RT 4700R2	4.7	12	RT 4700R2	0.1	2
S43-K1	-1.9	4			
S46-L2	-3.9	4			
S48-P4	3.5	9	S48-P4	-0.1	1
S48RS53	11.0	9	S48RS53	1.6	1
S49-F8	2.6	9	S49-F8	-2.3	1
SH 4714LL/STS #	4.7	2	SH 4714LL/STS #	-8.6	1
SH 4913LL #	5.4	4	SH 4913LL #	20.6	1
SS 4711NR2	15.0	3			
SS 4725NS R2	16.8	4			
SS 4913N R2	4.5	4			
SS 4917N R2	0.7	9	SS 4917N R2	-6.0	1
Steyer 4203R2	-14.7	4			
Steyer 4501R2	-4.3	4			
USG 74A79R	1.6	17	USG 74A79R	4.9	3
USG 74A91	5.1	14	USG 74A91	2.7	3
USG 74A92R	6.4	5	USG 74A92R	4.3	1
USG 74B58	-2.7	9	USG 74B58	-2.6	1
USG 74B81R	5.1	12	USG 74B81R	-2.2	1
USG 74F96	3.0	19	USG 74F96	8.2	4
USG 74G82L #	5.9	4	USG 74G82L #	3.4	1

Maturity Group V

32A53	5.5	14	32A53	0.5	5
32RY55	8.9	12	32RY55	13.3	9
33C59	2.7	14	33C59	6.0	6
39RY57	3.5	12	39RY57	2.3	10
5220.RC	-7.3	12	5220.RC	-13.7	9
53LD80	1.6	2	53LD80	2.5	1
54LD00	-3.3	2	54LD00	-3.1	2

(continued on next page)

Relative Yield, Planted Early or Late (continued)
(listed in alphabetical order, by maturity group)

Planted Early			Planted Late		
Variety	% +/- MG Avg. *	No. of Sites	Variety	% +/- MG Avg. *	No. of Sites
54LE23	10.8	2	54LE23	14.5	2
557.RC	5.4	23	557.RC	-1.0	13
58LA02	-18.0	6	58LA02	3.6	2
58LC23	0.0	6	58LC23	-7.3	3
95M82	-3.0	23	95M82	3.9	15
95Y40	5.6	17	95Y40	-4.8	12
95Y50	0.8	12	95Y50	-5.3	9
95Y71	0.1	12	95Y71	-6.0	10
AG5233	3.2	9	AG5233	-7.1	8
AG5533	10.8	5	AG5533	8.1	4
AG5534	-0.3	4	AG5534	0.2	4
AG5633	-17.1	4	AG5633	-6.6	5
AG5634	-7.9	4	AG5634	-6.9	5
AG5732	-0.6	8	AG5732	4.7	5
AG5831	-6.3	14	AG5831	-3.2	13
AGS 533 LL #	-0.7	4	AGS 533 LL #	11.6	3
AGS 568 RR	-2.9	23	AGS 568 RR	-3.5	15
AGS 5911 LL #	-0.9	6	AGS 5911 LL #	9.4	3
AGS 597 RR	0.6	19	AGS 597 RR	3.2	10
Allen #	-3.5	19	Allen #	-1.1	7
Armor 53-R16	6.6	4	Armor 53-R16	7.1	4
Armor 53-R88	0.2	4	Armor 53-R88	-1.7	4
Armor 55-R22	5.4	9	Armor 55-R22	8.6	8
DB5711RR	2.3	12	DB5711RR	-0.4	10
Fowler #	2.2	10	Fowler #	-1.5	5
Glenn #	-8.0	10	Glenn #	3.6	5
Go Soy 5010LL #	3.5	4	Go Soy 5010LL #	20.9	3
Go Soy 5312LL #	2.6	2	Go Soy 5312LL #	12.9	2
Go Soy 5410LL #	-6.2	4	Go Soy 5410LL #	7.2	3
Go Soy 5911LL #	-3.2	2	Go Soy 5911LL #	-6.3	1
HBK LL5350 #	-6.0	2	HBK LL5350 #	-12.1	2
HBK RY5421	-3.7	9	HBK RY5421	-2.2	8
HBK RY5521	0.2	5	HBK RY5521	-6.9	4
Halo 5:01-5LL #	5.6	2	Halo 5:01-5LL #	16.9	2
Halo 5:01LL #	8.6	2	Halo 5:01LL #	10.0	1
Halo 5:26LL #	6.7	2	Halo 5:26LL #	6.6	2
Halo 5:45LL #	1.4	2	Halo 5:45LL #	26.5	2
Hutcheson #	-4.8	10	Hutcheson #	-10.9	5
JTN-5110 #	6.4	2	JTN-5110 #	25.8	2
JTN-5203 #	-7.6	10	JTN-5203 #	5.9	5
JTN-5303 #	0.5	10	JTN-5303 #	2.8	5

(continued on next page)

Relative Yield, Planted Early or Late (continued)
(listed in alphabetical order, by maturity group)

Planted Early			Planted Late		
Variety	% +/- MG Avg. *	No. of Sites	Variety	% +/- MG Avg. *	No. of Sites
JTN-5503 #	0.1	10	JTN-5503 #	0.3	5
Jake #	4.1	10	Jake #	5.7	5
LL 511N #	4.4	10	LL 511N #	5.9	5
LL 513N #	5.2	2	LL 513N #	13.5	2
LL 563N #	3.1	2	LL 563N #	1.8	2
LL 595N #	-9.8	10	LL 595N #	-0.5	5
NC-Burton #	-8.9	6	NC-Burton #	7.9	2
NC-Miller #	-1.6	10	NC-Miller #	7.3	5
Osage #	2.7	10	Osage #	4.1	5
Ozark #	2.9	4	Ozark #	16.7	3
P 5111 RY	-3.5	12	P 5111 RY	-3.6	9
P 5160 LL #	5.0	9	P 5160 LL #	1.6	4
P 5210 RY	7.4	17	P 5210 RY	9.7	12
P 5213 RY	7.8	4	P 5213 RY	-3.7	4
P 5330 RR	3.1	8	P 5330 RR	0.0	4
P 5333 RY	10.3	4	P 5333 RY	4.7	4
P 5460 LL #	-9.1	9	P 5460 LL #	-0.3	4
P 5555 RY	7.8	4	P 5555 RY	12.3	4
P 5610 RY	-0.4	18	P 5610 RY	2.5	13
P 5711 RY	-0.3	12	P 5711 RY	-2.5	10
P 5960 LL #	-9.2	9	P 5960 LL #	4.6	4
REV 54R10	5.8	8	REV 54R10	1.6	4
REV 56R21	0.8	13	REV 56R21	-3.6	9
S52-Y2	10.1	4	S52-Y2	-12.6	4
S53RY23	0.2	4	S53RY23	3.8	4
S54-V4	-1.3	8	S54-V4	-3.1	4
S54RY43	-3.0	9	S54RY43	-0.1	8
S56-G6	2.7	17	S56-G6	-0.6	14
S56RY84	-3.8	4	S56RY84	3.7	5
SB5213RR	5.4	4	SB5213RR	-22.9	4
SH 5212LL #	-4.1	4	SH 5212LL #	3.4	3
SH 5512LL #	7.4	4	SH 5512LL #	12.1	3
SH 5614LL/STS #	4.0	2	SH 5614LL/STS #	0.1	2
SH 5912LL #	-0.8	4	SH 5912LL #	-3.1	3
SS 5112N R2	-8.4	8	SS 5112N R2	-6.9	5
SS 5312N R2	-3.2	12	SS 5312N R2	-1.4	9
SS 5510N R2	-3.3	13	SS 5510N R2	-1.7	8
SS 5511N R2	7.9	12	SS 5511N R2	6.2	9
SS 5513N R2	3.5	4	SS 5513N R2	13.2	4
SS 5711NR2	2.0	9	SS 5711NR2	-0.4	9
SS 5911N R2	3.6	9	SS 5911N R2	5.7	9

(continued on next page)

Relative Yield, Planted Early or Late (continued)
(listed in alphabetical order, by maturity group)

Planted Early			Planted Late		
Variety	% +/- MG Avg. *	No. of Sites	Variety	% +/- MG Avg. *	No. of Sites
Steyer 5101R2	3.5	4	Steyer 5101R2	-8.0	4
Steyer 5301R2	1.1	4	Steyer 5301R2	-12.8	4
UA 5213 #	7.6	2	UA 5213 #	11.2	2
UA 5612 #	-1.1	8	UA 5612 #	4.6	5
USG 7553nRS	-0.9	33	USG 7553nRS	-0.1	18
USG 75G90L #	-11.6	7	USG 75G90L #	-3.8	2
USG 75J50R	-6.7	17	USG 75J50R	-3.7	12
USG 75J62R	-9.0	9	USG 75J62R	-10.6	9
USG 75J90R	1.4	21	USG 75J90R	6.1	17
USG 75Q42R	0.4	5	USG 75Q42R	-1.3	4
USG 75Q52R	-1.0	5	USG 75Q52R	-2.2	4
USG 75Z38	3.7	23	USG 75Z38	5.8	13
USG 75Z98	-0.2	23	USG 75Z98	-1.2	15

Maturity Group VI

36RY68	2.6	17	36RY68	4.2	13
6202-4	4.8	23	6202-4	3.4	14
96M60	-3.6	22	96M60	-9.9	14
AG6132	-6.9	8	AG6132	-3.3	5
AG6534	-2.4	4	AG6534	-3.8	5
AG6732	0.3	12	AG6732	5.4	10
AG6834	2.3	4	AG6834	3.8	5
AG6931	-8.1	13	AG6931	-7.1	8
AGS 6011 LL #	1.0	4	AGS 6011 LL #	-6.1	1
DB6012RR	1.1	4	DB6012RR	-10.0	5
NC-Roy #	5.3	9	NC-Roy #	4.8	4
P 6710 RY	2.6	17	P 6710 RY	6.0	13
S61-Q2	1.3	18	S61-Q2	3.2	10
S61RY93	5.3	8	S61RY93	2.0	9
S65RY73	-1.1	8	S65RY73	-10.5	9
S67-R6	9.5	8	S67-R6	10.4	9
S68-D4	-8.3	4	S68-D4	-19.0	1
S69RY34	-3.9	4	S69RY34	4.4	5
SS 6713N R2	2.3	4	SS 6713N R2	-0.4	5
SS 6810N R2	3.1	17	SS 6810N R2	0.9	13
USG 76G10L #	-4.0	9	USG 76G10L #	4.0	4
USG 76S22R	1.9	8	USG 76S22R	2.1	9
USG 76S90R	-0.3	17	USG 76S90R	3.0	13
V61N9RR	5.8	18	V61N9RR	5.4	9

(continued on next page)

Relative Yield, Planted Early or Late (continued)
(listed in alphabetical order, by maturity group)

Planted Early			Planted Late		
Variety	% +/- MG Avg. *	No. of Sites	Variety	% +/- MG Avg. *	No. of Sites
Maturity Groups VII & VIII					
34RY75	3.0	4	34RY75	12.0	3
97M50	-7.2	8	97M50	-8.9	4
AG7231	0.0	6	AG7231	4.3	4
AG7733	5.3	3	AG7733	-3.4	3
AG7934	10.8	1	AG7934	8.2	2
AGS 70R26	-10.3	1	AGS 70R26	4.9	2
AGS 75R27	16.6	1	AGS 75R27	4.8	2
AGS 767 RR	-1.4	1	AGS 767 RR	-3.1	2
AGS 787 RR	0.0	3	AGS 787 RR	-10.3	3
DB7213RR	3.4	1	DB7213RR	-8.5	2
HBK R7028	-3.4	4	HBK R7028	-3.9	1
HBK R7200	-12.5	2	HBK R7200	-7.9	1
HBK RY7523	-4.3	1	HBK RY7523	-8.4	2
N7002 #	-3.5	10	N7002 #	-3.0	7
N7003CN #	9.3	10	N7003CN #	9.9	7
N8001 #	-3.2	10	N8001 #	-6.7	7
NC-Raleigh #	4.3	8	NC-Raleigh #	-3.5	5
P 7310 RY	8.5	6	P 7310 RY	4.2	4
S74-M3	8.2	4	S74-M3	5.7	3
S77-T7	7.0	3	S77-T7	-0.1	3
S78-G6	-1.5	8	S78-G6	-7.9	4
S79-B9	-3.4	6	S79-B9	0.4	4
SS 7511N R2	6.2	4	SS 7511N R2	1.6	3
USG 76S73R	2.2	4	USG 76S73R	0.0	5
USG 7732nRR	-6.0	18	USG 7732nRR	0.8	11
USG 77S13R	-4.2	1	USG 77S13R	2.8	2
USG 77S40R	7.1	6	USG 77S40R	1.7	4
USG 77S63R	1.1	1	USG 77S63R	-7.0	2
V76N9RR	6.9	7	V76N9RR	1.5	2
Woodruff #	4.1	10	Woodruff #	12.8	7

Not Roundup-Ready

* Percent above (+) or below (-) the average yield of all varieties of the same maturity group at the same locations in the NC Official Variety Tests (OVT) in 2009 through 2013.

