

## Top Ten Yielding Soybean Varieties in North Carolina through 2014

Marketed By	Variety	Overall	Planted		Yield Level		
			Early	Late	20	40	60
<b>Maturity Group IV</b>							
Crop Prod. Serv.	37RY47				X	X	
Stratton	478.RCS						X
Stratton	4990.RC				X	X	
Pioneer	94Y70				X	X	X
Asgrow	AG4730						X
Asgrow	AG4933					X	3
Featherstone	Armor 46-R65	X	X	X			
Featherstone	Armor 47-R13	X	X	X			
Doebler	DB4715RR	X	X	3			
Bayer	HBK LL4953 #	X	X				
Bayer	HBK RY4721				1	2	X
Progeny	P 4510 RY				X		
Progeny	P 4788 RY			X			
Progeny	P 4850 RY	X	X		2	1	1
Progeny	P 4900 RY				X	X	X
Progeny	P 4930 LL #	1	1	2			
Pioneer	P46T21R	3	3	X			
Pioneer	P48T53R	X	X	1			
Pioneer	P49T80R	2	2	X			
Crop Prod. Serv.	S48RS53				X	X	2
Meherrin	SH 4913LL #			X			
Southern States	SS 4700 R2 STS				X	X	X
Southern States	SS 4725NS R2	X	X	X			
UniSouth Genetics	USG 74B81R				3	3	X
<b>Maturity Group V</b>							
Crop Prod. Serv.	32RY55	1	X		X	3	3
Crop Prod. Serv.	39RY57						X
Asgrow	AG5935			3			
AgSouth Genetics	AGS 533 LL #			X			
Featherstone	Armor 53-R16				X	X	X
Featherstone	Armor 55-R22	X		X	X	X	2
Beck	Beck's 522L4 #		1				
Stratton	Go Soy 5010LL #	X		1			
Stratton	Go Soy 5312LL #			X			
U. S. Seeds (public)	Halo 5:01-5LL # JTN 5110 #	X		2			
Southern States (public)	LL 513N # NC-Miller #	X	X				X

(continued on next page)

**Top Ten Yielding Soybean Varieties** (continued)  
in North Carolina through 2014

Marketed By	Variety	Overall	Planted		Yield Level		
			Early	Late	20	40	60
(public)	Osage #						X
(public)	Ozark #			X	1	1	X
Progeny	P 5333 RY		X			X	X
Progeny	P 5555 RY		X		3	X	
Syngenta	S55-Q3	3	X				
Crop Prod. Serv.	S56RY84				X		
Meherrin	SH 5215LL #	X	2				
Meherrin	SH 5512LL #	X	X	X			
Southern States	SS 5511N R2	2	3		X	X	1
Southern States	SS 5513N R2	X	X		X	X	X
(public)	UA 5213C #				2	2	
UniSouth Genetics	USG 75G25L #			X			
UniSouth Genetics	USG 75J90R				X	X	

**Maturity Group VI**

Crop Prod. Serv.	36RY68	X	X					X
Stein	6202-4			X	3	X		
Asgrow	AG6732				1	2		
Asgrow	AG6834		X					X
Featherstone	Armor 61-R14			2				
Featherstone	Armor 67-R90	X	X	X				
Doebler	DB6012RR				2	X		
(public)	NC-Roy #	3	3	X	X	X		X
Progeny	P 6710 RY	X	X	X		X		3
Syngenta	S61-Q2							X
Syngenta	S67-R6	2	2	X	X	3		2
Crop Prod. Serv.	S69RY34				X			
Southern States	SS 6713N R2	X	X	X		X		X
Southern States	SS 6810N R2	X	X					X
UniSouth Genetics	USG 76G10L #			X	X			
UniSouth Genetics	USG 76S22R	X	X	3	X	X		X
UniSouth Genetics	USG 76S73R	1	1	1	X	1		1
UniSouth Genetics	USG 76S90R	X			X	X		

**Maturity Groups VII & VIII**

Crop Prod. Serv.	34RY75	X		2	2	1		X
Asgrow	AG7231		X	X		X		X
Asgrow	AG7535	1	2					
Asgrow	AG7733		X					
Asgrow	AG7934	X	X	X				

(continued on next page)

**Top Ten Yielding Soybean Varieties** (continued)  
in North Carolina through 2014

Marketed By	Variety	Overall	Planted		Yield Level		
			Early	Late	20	40	60
AgSouth Genetics	AGS 70R26						
AgSouth Genetics	AGS 75R27	2	1				
AgSouth Genetics	AGS Woodruff #	X			X	X	X
(public)	N7002 #				X		
(public)	N7003CN #	3	X	3	X	3	3
(public)	NC-Rleigh #				3	X	
Progeny	P 7310 RY	X	X	X		X	2
Syngenta	S74-M3	X	3	X	X	2	1
Crop Prod. Serv.	S77RY85	X	X				
Syngenta	S77-T7						X
Syngenta	S78-G6				X		
Syngenta	S79-B9				X	X	X
Southern States	SS 7511N R2				1	X	X
UniSouth Genetics	USG 77S40R	X	X	X	X	X	X

# Not Roundup-Ready

Note: A 1, 2, 3, or X indicates that the variety yielded first (1), second (2), third (3), or fourth through tenth highest (X) within its maturity group over all locations (overall), when planted early (e.g. May), or late (e.g. June), or when planted in a 20-, 40-, or 60-Bu/A environment. The first three columns of Xs are based on actual yields, and the last three columns are predictions based on actual yields (minimum of 10 locations), in the North Carolina Official Variety Tests (OVT) in 2010 through 2014.