

Relative Yield, Planted Early or Late
(listed in alphabetical order, by maturity group)

Planted Early			Planted Late		
Variety	% +/- MG Avg. *	No. of Sites	Variety	% +/- MG Avg. *	No. of Sites
Maturity Group IV					
37RY47	-0.6	16	37RY47	-7.6	2
41RH22	-5.8	1	41RH22	-16.9	1
444NR	-14.4	4	444NR	9.8	1
49LD02 #	11.2	5	49LD02 #	27.4	2
AG4730	0.8	24	AG4730	8.0	3
AG4835	35.1	1	AG4835	24.4	1
AG4934	4.7	9	AG4934	4.0	2
Armor 43-R43	-2.3	4	Armor 43-R43	-16.8	1
Armor 44-R08	1.2	4	Armor 44-R08	-21.7	1
Armor 46-R65	7.0	4	Armor 46-R65	16.1	1
Armor 47-R13	9.7	8	Armor 47-R13	22.0	1
Armor 48-R66	-10.9	8	Armor 48-R66	-22.3	1
Armor 49-C3 #	-3.8	2			
Armor 49-R56	1.4	8	Armor 49-R56	-0.6	1
CZ 4540 LL #	-8.0	1	CZ 4540 LL #	-21.7	1
CZ 4590 RY	-11.1	1	CZ 4590 RY	-33.3	1
CZ 4748 LL #	-13.9	3	CZ 4748 LL #	-16.2	1
CZ 4818 LL #	-12.7	1	CZ 4818 LL #	-31.0	1
CZ 4959 RY	-1.6	5	CZ 4959 RY	-14.3	2
DB4214RS	-37.4	1	DB4214RS	-49.5	1
DB4415RR	-4.4	4	DB4415RR	-3.6	1
DB4715RR	9.0	5	DB4715RR	12.9	2
Ellis #	5.1	2	Ellis #	2.0	2
HBK LL4650 #	-15.4	4	HBK LL4650 #	-20.6	1
HBK LL4653 #	-16.2	5	HBK LL4653 #	-42.7	2
HBK LL4850 #	-3.7	4	HBK LL4850 #	-32.3	1
HBK LL4950 #	-0.6	5	HBK LL4950 #	3.9	2
HBK LL4953 #	6.8	5	HBK LL4953 #	7.8	2
HBK RY4620	-6.7	13	HBK RY4620	-3.6	2
HBK RY4721	2.5	15	HBK RY4721	4.6	2
Mycogen 5N479R2	21.5	1	Mycogen 5N479R2	21.2	1
P 4613 RY	-0.1	9	P 4613 RY	-8.6	2
P 4747 RY	-6.8	8	P 4747 RY	2.9	1
P 4757 RY	9.5	1	P 4757 RY	-6.6	1
P 4788 RY	2.7	5	P 4788 RY	7.3	2
P 4814 LS #	11.0	1	P 4814 LS #	38.6	1
P 4850 RY	11.2	14	P 4850 RY	8.3	3

(continued on next page)

Relative Yield, Planted Early or Late (continued)
(listed in alphabetical order, by maturity group)

Planted Early			Planted Late		
Variety	% +/- MG Avg. *	No. of Sites	Variety	% +/- MG Avg. *	No. of Sites
P 4900 RY	3.1	14	P 4900 RY	-1.0	3
P 4930 LL #	8.0	3	P 4930 LL #	24.4	2
P46T21R	13.3	4	P46T21R	19.2	1
P48T53R	9.5	9	P48T53R	11.4	2
P49T80R	12.9	9	P49T80R	22.6	2
REV 47R34	13.7	1	REV 47R34	4.5	1
REV 49R94	-3.4	1	REV 49R94	5.5	1
S43-K1	-2.6	8	S43-K1	-9.7	1
S43RY95	-13.7	1	S43RY95	-5.6	1
S46RY85	-7.4	5	S46RY85	-17.5	2
S47-K5	-2.8	5	S47-K5	-0.9	2
S48-P4	2.1	14	S48-P4	2.7	3
S48RS53	6.3	14	S48RS53	5.3	3
S49-F8	1.9	10	S49-F8	-2.2	2
S49RY25	-0.8	5	S49RY25	4.3	2
SH 4715LL #	-10.0	3	SH 4715LL #	-20.4	1
SH 4913LL #	4.3	7	SH 4913LL #	25.1	2
SS 4700 R2 STS	3.2	11	SS 4700 R2 STS	7.2	1
SS 4714NS R2	4.6	5	SS 4714NS R2	-2.3	2
SS 4725NS R2	12.4	9	SS 4725NS R2	15.7	2
SS 4913N R2	2.8	8	SS 4913N R2	-2.2	1
SS 4915NS R2	29.5	1	SS 4915NS R2	30.2	1
SS 4917N R2	1.9	14	SS 4917N R2	-3.4	3
Steyer 4402R2	8.5	1	Steyer 4402R2	1.0	1
Steyer 4602R2	1.7	1	Steyer 4602R2	-5.7	1
USG 74A74RS	-0.8	1	USG 74A74RS	6.2	1
USG 74A79R	-2.9	16	USG 74A79R	-7.4	2
USG 74B81R	4.1	16	USG 74B81R	-8.1	2
USG 74B94RS	-4.1	4	USG 74B94RS	-21.8	1
USG 74D95RS	22.1	1	USG 74D95RS	13.4	1
USG 74G74LS #	-3.5	2			
USG 74G99L #	-1.7	3	USG 74G99L #	15.8	1
USG 74K95RS	25.8	1	USG 74K95RS	13.3	1

Maaturity Group V

32RY55	8.6	19	32RY55	10.5	15
39RY57	5.7	17	39RY57	3.2	16
511R4	0.5	4	511R4	-9.0	4
51LE20 #	3.3	2	51LE20 #	8.1	1

(continued on next page)

Relative Yield, Planted Early or Late (continued)
(listed in alphabetical order, by maturity group)

Planted Early			Planted Late		
Variety	% +/- MG Avg. *	No. of Sites	Variety	% +/- MG Avg. *	No. of Sites
51RD02	-1.8	11	51RD02	-2.1	9
51RH20	-16.0	3	51RH20	2.2	1
522L4 #	11.0	2	522L4 #	0.6	1
54LE23 #	2.0	4	54LE23 #	9.9	4
58LC23 #	0.2	7	58LC23 #	-6.5	4
95M82	-0.9	16	95M82	1.9	14
AG5233	0.2	13	AG5233	-9.9	12
AG5533	9.3	8	AG5533	7.8	5
AG5535	-0.9	7	AG5535	4.3	5
AG5633	-11.2	9	AG5633	-5.5	11
AG5732	-2.6	12	AG5732	0.1	9
AG5831	-6.0	13	AG5831	-3.5	13
AG5935	2.8	5	AG5935	7.4	6
AGS 533 LL #	-0.6	4	AGS 533 LL #	7.9	4
AGS 568 RR	-3.0	13	AGS 568 RR	-7.7	12
AGS 5911 LL #	-0.9	7	AGS 5911 LL #	8.8	4
Armor 50-R44	-10.4	4	Armor 50-R44	-3.1	4
Armor 53-R16	4.4	8	Armor 53-R16	9.7	8
Armor 55-R22	6.1	15	Armor 55-R22	12.9	13
			CZ 5147 LL #	-45.3	1
CZ 5150 LL #	0.1	2	CZ 5150 LL #	-25.1	1
			CZ 5225 LL #	-38.1	1
CZ 5242 LL #	-0.5	2	CZ 5242 LL #	-38.0	1
CZ 5445 LL #			CZ 5445 LL #	-47.1	1
			CZ 5515 LL #	-24.6	1
CZ 5727 LL #	-5.3	1	CZ 5727 LL #	1.7	1
CZ 5947 LL #	0.8	1	CZ 5947 LL #	-13.0	1
DB5215RR	-5.1	4	DB5215RR	-15.3	4
DB5416RR	3.5	3	DB5416RR	21.3	1
DB5710RR	0.5	5	DB5710RR	-6.5	6
Fowler #	7.4	8	Fowler #	6.2	4
HBK RY5221	-5.7	13	HBK RY5221	-6.7	12
HBK RY5421	-3.2	13	HBK RY5421	0.7	12
Hutcheson #	-2.8	8	Hutcheson #	-13.0	5
Jake #	7.3	8	Jake #	7.0	5
JTN-5110 #	1.5	4	JTN-5110 #	6.9	4
JTN-5203 #	-2.2	16	JTN-5203 #	17.9	7
JTN-5303 #	5.6	8	JTN-5303 #	9.7	4
JTN-5503 #	1.4	8	JTN-5503 #	8.2	4
LL 513N #	7.8	4	LL 513N #	6.8	4

(continued on next page)

Relative Yield, Planted Early or Late (continued)

(listed in alphabetical order, by maturity group)

Planted Early			Planted Late		
Variety	% +/- MG Avg. *	No. of Sites	Variety	% +/- MG Avg. *	No. of Sites
LL 595N #	-5.0	8	LL 595N #	-1.6	3
MFS-561 #	-4.0	4	MFS-561 #	-22.5	1
Mycogen 5N550R2	-1.7	3	Mycogen 5N550R2	8.9	1
NC-Miller #	4.1	8	NC-Miller #	1.9	5
Osage #	6.9	8	Osage #	-0.3	5
Ozark #	3.5	6	Ozark #	13.9	4
P 5160 LL #	5.7	6	P 5160 LL #	8.5	4
P 5213 RY	-4.1	11	P 5213 RY	-9.2	9
P 5220 LS #	2.9	2	P 5220 LS #	-5.4	1
P 5226 RYS	-0.7	3	P 5226 RYS	13.2	1
P 5333 RY	5.4	11	P 5333 RY	5.5	9
			P 5414 LS #	16.1	1
P 5460 LL #	-4.6	8	P 5460 LL #	2.2	5
P 5555 RY	5.5	11	P 5555 RY	8.0	9
P 5610 RY	-0.2	19	P 5610 RY	3.4	16
P 5752 RY	-0.7	1	P 5752 RY	17.0	2
P 5960 LL #	-5.0	9	P 5960 LL #	3.6	4
P52T50R	4.1	7	P52T50R	2.8	5
P52T886R	-4.1	4	P52T886R	-5.6	4
P53T73SR	-3.2	7	P53T73SR	2.6	5
P56T03R2	0.7	5	P56T03R2	-11.9	6
P56T12SR	-3.3	1	P56T12SR	1.5	2
P56T29R2	-1.1	1	P56T29R2	15.9	2
REV 55R53	4.5	12	REV 55R53	2.7	9
REV 56A54	-3.7	4	REV 56A54	-7.5	4
REV 56R63	-0.7	13	REV 56R63	2.2	11
REV 57R21	-1.7	13	REV 57R21	-4.9	11
S52RY75	3.2	7	S52RY75	2.2	5
S52-Y2	3.3	11	S52-Y2	-8.4	9
S53RY23	-1.5	8	S53RY23	-6.7	8
			S55LS75	-12.5	1
S55-Q3	7.1	7	S55-Q3	15.0	5
S56-G6	1.4	17	S56-G6	-1.4	16
S56RY84	-2.6	9	S56RY84	-2.2	11
S57RY26	-11.9	1	S57RY26	3.8	2
S59LS45	-4.3	1	S59LS45	0.6	1
S59-V9	-0.6	5	S59-V9	7.9	6
SH 5215LL #	9.7	2	SH 5215LL #	7.7	2
SH 5515LL #	6.6	2	SH 5515LL #	2.2	2
SH 5614LL/STS #	-1.6	4	SH 5614LL/STS #	0.0	2

(continued on next page)

Relative Yield, Planted Early or Late (continued)

(listed in alphabetical order, by maturity group)

Planted Early			Planted Late		
Variety	% +/- MG Avg. *	No. of Sites	Variety	% +/- MG Avg. *	No. of Sites
SH 5912LL #	-3.8	7	SH 5912LL #	-3.3	4
SH 5915LL #	1.1	1	SH 5915LL #	-5.8	1
SS 5213N R2	-2.9	4	SS 5213N R2	-1.9	4
SS 5215NS R2	-3.9	3	SS 5215NS R2	19.4	1
SS 5511N R2	9.6	19	SS 5511N R2	11.0	14
SS 5513N R2	5.8	11	SS 5513N R2	10.1	9
SS 5615N R2	-3.2	1	SS 5615N R2	11.3	2
SS 5711N R2	4.3	17	SS 5711N R2	1.0	16
SS 5911N R2	1.3	15	SS 5911N R2	6.8	13
Steyer 5302R2	7.6	3	Steyer 5302R2	20.7	1
UA 5213C #	3.2	6	UA 5213C #	5.1	6
UA 5414RR	-7.7	12	UA 5414RR	-12.0	9
UA 5612 #	5.8	6	UA 5612 #	3.7	4
			UA 5814HP #	11.1	1
USG 75B75R	2.4	1	USG 75B75R	14.2	2
USG 75G24L #			USG 75G24L @	-17.9	1
USG 75G25L #	-0.2	2	USG 75G25L #	15.6	1
USG 75G65LS #	5.3	1	USG 75G65LS #	2.5	1
USG 75G95LS #	3.5	1	USG 75G95LS #	-1.2	1
USG 75J45R	-0.1	3	USG 75J45R	10.2	1
USG 75J50R	-8.2	16	USG 75J50R	-4.4	13
USG 75J62R	-7.6	13	USG 75J62R	-11.8	13
USG 75J90R	0.7	21	USG 75J90R	6.7	19
USG 75T40	-1.8	3	USG 75T40	-12.3	1

Maturity Group VI

36RY68	4.3	19	36RY68	2.3	16
61RF00	-8.7	7	61RF00	-0.4	5
6202-4	-3.3	17	6202-4	3.7	14
AG6536	2.0	2	AG6536	21.2	2
AG6732	-2.4	17	AG6732	3.6	14
AG6834	2.8	11	AG6834	-3.5	11
AG6931	-6.1	13	AG6931	-8.3	9
AGS 674 LL #	5.2	1	AGS 674 LL #	4.1	1
Armor 61-R14	-6.5	5	Armor 61-R14	8.0	4
Armor 67-R90	3.9	5	Armor 67-R90	6.2	4
CZ 6060 RY	-3.1	2	CZ 6060 RY	-1.4	2
CZ 6109 LL #	0.5	1	CZ 6109 LL #	-19.8	1
CZ 6316 LL #	-4.1	1	CZ 6316 LL #	-15.7	1

(continued on next page)

Relative Yield, Planted Early or Late (continued)

(listed in alphabetical order, by maturity group)

Planted Early			Planted Late		
Variety	% +/- MG Avg. *	No. of Sites	Variety	% +/- MG Avg. *	No. of Sites
CZ 6515 LL #	-0.3	1	CZ 6515 LL %	-1.6	1
DB6012RR	-3.5	9	DB6012RR	-5.8	9
DB6516RR	4.4	2	DB6516RR	35.9	2
LL 6314S #	4.6	1	LL 6314S #	11.6	1
NC-Roy #	3.6	7	NC-Roy #	-3.5	3
P 6215 RY	-0.8	2	P 6215 RY	4.0	2
P 6355 LL #	-1.9	1	P 6355 LL #	-1.7	1
P 6710 RY	4.8	19	P 6710 RY	6.2	16
P67T25R2	-2.8	2	P67T25R2	4.3	2
S61RY93	-0.5	17	S61RY93	-5.0	15
S64LS95 #	10.2	1	S64LS95 #	-18.8	1
S65RY73	-2.3	15	S65RY73	-12.9	15
S67-R6	7.2	15	S67-R6	8.8	15
S67RY25	-3.3	2	S67RY25	-25.9	2
S69RY34	-6.6	11	S69RY34	-3.1	11
SH 6215LL #	1.8	1	SH 6215LL #	1.7	1
SH 6515LL #	12.4	1	SH 6515LL #	-3.4	1
SH 6815LL #	0.5	1	SH 6815LL #	0.1	1
SS 6315 R2	-6.6	2	SS 6315 R2	3.7	2
SS 6713N R2	2.8	11	SS 6713N R2	3.9	11
SS 6810N R2	3.6	19	SS 6810N R2	0.7	16
USG 76G10L #	-4.2	8	USG 76G10L #	-4.1	3
USG 76G15LS #	3.8	1	USG 76G15LS #	-5.3	1
USG 76G45LS #	13.0	1	USG 76G45LS #	-4.6	1
USG 76G75L #	4.3	1	USG 76G75L #	3.1	1
USG 76J45R	-1.0	2	USG 76J45R	10.2	2
USG 76S22R	2.0	17	USG 76S22R	1.8	15
USG 76S73R	7.0	12	USG 76S73R	7.2	12
USG 76S90R	1.4	19	USG 76S90R	1.9	16

Maturity Groups VII & VIII

34RY75	0.0	7	34RY75	11.9	4
AG7231	5.4	6	AG7231	6.0	3
AG7535	12.7	6	AG7535	6.4	3
AG7934	7.3	6	AG7934	12.6	4
AGS 738 RR	0.5	2	AGS 738 RR	3.6	1
AGS 757 RR	-0.7	7	AGS 757 RR	-5.3	3
AGS 828 RR	-7.4	2	AGS 828 RR	-2.9	1
AGS Woodruff #	0.9	9	AGS Woodruff #	5.9	6

(continued on next page)

Relative Yield, Planted Early or Late (continued)

(listed in alphabetical order, by maturity group)

Planted Early			Planted Late		
Variety	% +/- MG Avg. *	No. of Sites	Variety	% +/- MG Avg. *	No. of Sites
Cheraw #	-5.5	2	Cheraw #	3.2	1
CZ 7007 LL #	-1.2	1	CZ 7007 LL #	-9.6	1
CZ 7070 RY	-3.7	2	CZ 7070 RY	-0.6	1
CZ 7132 LL #	5.2	1	CZ 7132 LL #	-9.2	1
DB7213RR	-6.6	6	DB7213RR	-6.8	4
HBK RY7523	-2.9	6	HBK RY7523	-7.4	4
N7003CN #	6.6	9	N7003CN #	8.0	6
N8001 #	-0.9	9	N8001 #	-9.2	6
NC-Raleigh #	-1.5	7	NC-Raleigh #	-8.4	4
P 7215 RS	5.0	2	P 7215 RS	1.6	1
P 7310 RY	8.2	9	P 7310 RY	7.6	5
P76T54R2	3.2	2	P76T54R2	4.5	1
Paul #	0.2	2	Paul #	1.5	1
REV 73A74	-8.8	5	REV 73A74	-5.2	2
S72RS36	-3.5	2	S72RS36	-2.2	1
S74-M3	8.6	11	S74-M3	5.6	5
S74RY15	0.3	7	S74RY15	-1.5	3
S77RY85	4.0	5	S77RY85	2.2	2
S77-T7	3.4	8	S77-T7	1.6	5
S78-G6	-4.9	9	S78-G6	-2.3	5
S79-B9	-2.0	9	S79-B9	5.0	5
S79RY05	-8.2	5	S79RY05	-5.8	2
Santee #	-4.6	1	Santee #	-21.9	1
SH 7116LL #	-6.8	1	SH 7116LL #	-9.6	1
SS 7215N R2	1.2	2	SS 7215N R2	7.6	1
SS 7511N R2	3.1	7	SS 7511N R2	-1.8	4
USG 77J25RS	-1.1	2	USG 77J25RS	6.3	1
USG 77S13R	-5.5	4	USG 77S13R	-6.0	3
USG 77S40R	7.2	9	USG 77S40R	2.1	5
USG 77S63R	-0.7	4	USG 77S63R	-1.8	3
USG 78S04R	-9.3	5	USG 78S04R	-4.9	2

Not Glyphosate tolerant

* Percent above (+) or below (-) the average yield of all varieties of the same maturity group at the same locations in the NC Official Variety Tests (OVT) in 2011 through 2015.